



## **EXCLUSIVE NEW PRODUCTS AVAILABLE**



LRP Competition Car Line LiPo batteries



Sanwa MT-S transmitter with RX-481 or RX-461 receiver



Sanwa ERS-963 servo

#### NOW AT YOUR LOCAL HOBBY SHOP

#### DISTRIBUTION TO MORE THAN 60 COUNTRIES

You can be one of the first holding these selected products in your hands!

Ask your local hobby shop for LRP products or contact your national distributor:

Scan or click..

List of distributors on www.lrp.cc

### MORE DETAILS ON THE FOLLOWING PAGES...







## LRP CCL LIPO BATTERIES SHORTY PACKS



LxBxH	Weight	Capacity	Nom. voltage	C-rate	Style
112.5 x 47.0 x 25.1mm	252g	5600mAh	7.4V	110C/55C	TC Mid Shorty P5



LxBxH	Weight	Capacity	Nom. voltage	C-rate	Style
97.0 x 47.0 x 22.5mm	186g	4000mAh	7.4V	110C/55C	Real Shorty LCG P5

Order No.	Item	EAN Code	RRP*
430235	LRP 5600 - TC Mid Shorty P5 - 110C/55C - 7.4V LiPo - 1/10 CCL Hardcase	4250068164534	94,99€
430239	LRP 4000 - Real Shorty LCG P5 - 110C/55C - 7.4V LiPo - 1/10 CCL Hardcase	4250068164572	74,99€

### FROM 74,99 EURO\*

#### 5600 - TC Mid Shorty P5

This brand-new design was invented by LRP and is exclusively available through LRP. It features a special, shorter hardcase so you can move your battery to the front or the rear to adjust and improve the weight distribution of your car. It is an option to the P5 LCG TC battery.

Type: P5 Mid Shorty

Perfect for: TC modified

LRP Advantage: Perfect weight distribution, adjust front and rear end grip by moving the battery back and forth.

WorksTeam tip: Move to the front if you need more steering, move to the rear if you need more traction.

### NEW P5 TECHNOLOGY

#### 4000 - Real Shorty LCG P5

Our new Real Shorty LCG P5 combines the benefits of our standard Shorty pack and our Shorty LCG pack. It offers the best possible power/ weight/height ratio of all our Offroad batteries and is therefore the perfect battery to start with. It features a lower hardcase design which will lower the center of gravity of your car while maintaining the high power output you are used to from our standard shorty pack. the high power output you are used to from our standard shorty pack.

Type: LCG P5

Perfect for: 2WD and 4WD modified

LRP Advantage: Higher cornering speed, easier to drive.







## LRP CCL LIPO BATTERIES SADDLE PACKS



LxBxH	Weight	Capacity	Nom. voltage	C-rate	Style
2 x 57.5 x 47.0 x 25.1mm	204g	3900mAh	7.4V	110C/55C	Shorty Saddle P5



LxBxH	Weight	Capacity	Nom. voltage	C-rate	Style
2 x 69.2 x 37.5 x 25.1mm	210g	3900mAh	7.4V	110C/55C	Small Saddle P5

### 79,99 EURO\*

#### 3900 - Shorty Saddle P5

This brand-new design was invented by LRP and is exclusively available through LRP. It features a special, SHORTER Saddle Pack hardcase so you can move your battery halves to the front or the rear to adjust and improve the weight distribution of your car. This system has been used with Shorty battery packs in 2WD Offroad with great success. Now it is also available for Saddle Pack configuration cars.

Type: Shorty Saddle P5

Perfect for: 4WD Modified

LRP Advantange: This battery is an insider tip as it is brand-new and will give you an advantage over your competition. Perfect weight distribution, adjust front and rear end grip by moving the battery back and forth.

WorksTeam tip: Use additional weight to compensate for the lower weight battery and to adjust the balance ofyour car.

### NEW/ P5 TECHNOLOGY

#### 3900 - Small Saddle P5

This brand-new design was invented by LRP and is exclusively available through LRP. It features a special, MORE NARROW Saddle Pack hardcase so you can move your battery halves to the inside or the outside of the car which has a big impact on the cornering and jump behaviour of your car. Inside = more agility, Outside = more stability. This is a brand-new tuning option for Saddle Pack chassis layouts that has never been available before.

Type: Small Saddle P5 Perfect for: 4WD Modified

LRP Advantage: This battery is an insider tip as it is brand-new and will give you an advantage over your competition. Perfect weight distribution, adjust aggressiveness of your car during direction changes by moving the battery halves to the inside or the outside. WorksTeam tip: Use additional weight to compensate for the lower weight battery and to adjust the balance of your car.



Order No.	Item	EAN Code	RRP*
430242	LRP 3900 - Shorty Saddle P5 - 110C/55C - 7.4V LiPo - 1/10 CCL Hardcase	4250068164602	79,99€
430243	LRP 3900 - Small Saddle P5 - 110C/55C - 7.4V LiPo - 1/10 CCL Hardcase	4250068164619	79,99€

\* Recommended Retail Price in Germany





## LRP CCL LIPO BATTERY 6600 4S 1/8 HARDCASE

#### 169,99 EURO\*

#### 6600 - 1/8 4S P5

Our top-of-the line 4S LiPo battery. Perfect for E-buggies with standard battery configuration. It is easy to use, has tons of power and more than enough capacity. You will never go wrong with it.

The balancer connector is dust-proof located in the housing and therefore is perfectly protected for the tough Offraod use.

Type: P5 4S Perfect for: 1/8 E-Buggy

LRP Advantage: High and consistent power output, easy to use.

				0			
	<b>P5</b> Line						
1	LxBxH 39.0 x 47.0 x 48.2mm	Weight 620g	Capacity 6600mAh	Nom. voltage 14.8V	C-rate 110C/55C	Style 1/8 4S P5	
			تیں س کی ج ج	C (COLD) CONN COL IM TO (CL CONNECT	70776 DB INE 71M / 10 D TIME		91.7Wh IIII 1/B COMPETITION CAR

1/8 COMPETITION CAR LINE

7WI

Order No. Item EAN Code RRP*   430246 LRP 6600 - 1/8 4S P5 - 110C/55C - 14.8V LiPo - 1/8 CCL Hardcase 4250068164640 169,99 €					
430246 LRP 6600 - 1/8 4S P5 - 110C/55C - 14.8V LiPo - 1/8 CCL Hardcase 4250068164640 169,99 €	Orde	er No.	Item	EAN Code	RRP*
		430246	LRP 6600 - 1/8 4S P5 - 110C/55C - 14.8V LiPo - 1/8 CCL Hardcase	4250068164640	169,99€

## IIIIIIIWWW.LRP.GG



an shee he



Date: 2016-04-14

### LRP CCL 4500 SHORTY LIPO BATTERY 25 HARDCASE



#### 4500 - Shorty Stock Spec P5

This battery is tailor-made for stock racing. It features a special chemistry that will provide a higher voltage output under load which gives you a power and speed advantage over your competition in stock racing classes.

Type: P5 Stock Spec Perfect for: 2WD and 4WD Stock

LRP Advanatage: More acceleration out of corners, higher topspeed.

WorksTeam tip: Discharge the battery to 3.3V per cell before charging it right before your race starts. This will increase power and speed.



1/10 COMPETITION CAR LINE 110C/55C

1	LxBxH	Weight	Capacity	Nom. voltage	C-rate	Style
	96.0 x 47.0 x 25.1mm	210g	4500mAh	7.4V	110C/55C	Shorty Stock Spec



	Ŀ
GOOD WORKS TERM	$\Box$
CONNECTOR MELUDI	ת
4 SMM TO 4.MM ADAPTA	ß
	D

Order No.	Item	EAN Code	RRP*
430237	LRP 4500 - Shorty Stock Spec P5 - 110C/55C - 7.4V LiPo - 1/10 CCL Hardcase	4250068164558	85,99€

## IIIIIIIWWW.LRP.GG

EC P

TION CAR LINE 110C/55C





LRP LIPO 3000 TX-PACK!

The new LiPo transmitter batteries offer highest output and unbelievable performance. The VTEC LiPo TX packs are true transmitter batteries for Sanwa and Futaba transmitters. The sizes correspond with the regarding battery compartment.

SUITABLE FOR THE FOLLOWING SANWA TRANSMITTERS:

Exzes-Z, SD-10G

**TECHNICAL DETAILS:** 

M12S, M12, MT-4S, MT-4, MT-S, Exzes-ZZ,

Date: 2016-04-14

42,99 EURO\*

## LRP LIPO 3000 TX-PACK SANWA



### בנות בנות הפבובבית נכות בעותביצ עובת

Scan or click..

More information on

the product page at: www.LRP.cc

### FEATURES

- Ready-to-use with pre-assembled connectors
- All cells are separately tested and selected
- Maximum capacity
- Low weight
- LRP quality approved





\* Recommended Retail Price in Germany





## SANWA MT-S + RX-481 SET 2.4GHZ/FH4T



### THE TRANSMITTER FOR THE UPPER ENTRY LEVEL CLASS!

The new Sanwa MT-S is the perfect transmitter in the mid-price range of high-end 2.4GHz telemetry transmitters. It is offers a new design and new features. 8 different model types can now be chosen from that simplify the setup of the transmitter to the car. All servos in the SSR mode can be used with this transmitter as well as Sanwa servos with SSL can be fully utilised. The MT-S is telemetry capable and is available in two versions: with super small RX-481 receiver (with integrated antenna) or with RX-461 receiver, RPM and temperature sensor.

#### **COMPATIBLE RECEIVERS:**

RX-482, RX-481, RX-472, RX-471, RX-471W, RX-471 Dual-ID, RX-462, RX-461, RX-451R, RX-451, RX-381, RX-380

### FEATURES

- Telemetry capable
- LCD display (128x64)
- White background illumination
- SSL compatible
- FH4/ FH3 mode

Order No.

101A31975A





More information on the product page at: www.LRP.cc



RRP\*

Not available

\* Recommended Retail Price in Germany

ltem

Sanwa MT-S + RX-481 Radio Set 2.4GHz FH4T

# 

EAN Code





## SANWA MT-S + RX-461 SET TELEM./2.4GHZ/FH4T



### FEATURES

- Telemetry set incl. sensors
- LCD display (128x64)
- White background illumination
- SSL compatible
- FH4/ FH3 mode

Order No.





the product page at: www.LRP.cc



Order No.	Item
101A31976A	MT-S + RX-461 Radio Set incl. Telemetry (2.4GHz/FH4T)

#### THE TRANSMITTER FOR THE UPPER ENTRY LEVEL CLASS!

The new Sanwa MT-S is the perfect transmitter in the mid-price range of high-end 2.4GHz telemetry transmitters. It is offers a new design and new features. 8 different model types can now be chosen from that simplify the setup of the transmitter to the car. All servos in the SSR mode can be used with this transmitter as well as Sanwa servos with SSL can be fully utilised. The MT-S is telemetry capable and is available in two versions: with super small RX-481 receiver (with integrated antenna) or with RX-461 receiver, RPM and temperature sensor.

#### **COMPATIBLE RECEIVERS:**

RX-482, RX-481, RX-472, RX-471, RX-471W, RX-471 Dual-ID, RX-462, RX-461, RX-451R, RX-451, RX-381, RX-380

# IIIIII WWW.LRP.GG

EAN Code

4944683031424

RRP\*

Not available





### SANWA ERS-963 SERVO 20.3KGCM/0,105/40 6V



### LELVON KONEVURINEM EM 2023 LEDUREDEW

### FEATURES

- Recommended for 1/8 Offroad and 1/10 Nitro
- Waterproof
- Extremely high manipulation power
- Aluminium heat sink housing
- Metal gearing

Order No.

107A54361A

Scan or click..

More information on the product page at: www.LRP.cc





#### THE POWER SERVO OF THE SANWA ERS SERIES!

The new Sanwa ERS-963 offers a manipulation power of 20.3kg and therefore is extremely suitable for all applications in Offroad (for example 1/8 Buggies and Truggies, 1/8 Monstertrucks). The servo is waterproof, equipped with double ball bearings, has a CNC machines aluminium housing and a robust metal gear.

#### **TECHNICAL DATA:**

Torque at 6.0V:	20.3kg
Speed at 6.0V:	0.10s/40°
Nom. voltage:	6.0V
Dimensions:	.40.3x20.2x35.9mm
Metal gear	Ja
Ball bearings	Ja